



CONCEPT

AXION Tubes are slimmer as traditional inflatable tubes due to their higher internal pressure. It has better weather resistance, better stability and no blower noise. Most of our customers are choosing AXION Tubes for their easy installation and safety in use.

		TU 250-38	TU 250-48	TU 300-38	TU 300-48	TU 300-60	TU 400-48
height total "Z"	(cm)	250	250	300	300	300	400
	(ft)	8'2"	8'2"	9'10"	9'10"	9'10"	20'12"
height "X"	(cm)	230	230	280	280	280	380
	(ft)	7'7"	7'7"	9'2"	9'2"	9'2"	12'6"
diameter "U"	(cm)	38	48	38	48	60	48
	(ft)	1'3"	1'7"	1'3"	1'7"	2'	1'7"
weight	(kg)	5	6	7	8	9,1	9
	(lbs)	8'6"	10'6"	12'6"	12'6"	13'5"	15'1"
BOX SIZE							
height	(cm)	20	20	20	20	15	20
	(ft)	0'8"	0'8"	0'8"	0'8"	0'6"	0'8"
width	(cm)	40	50	40	50	60	50
	(ft)	1'4"	1'8"	1'4"	1'8"	2'	1'8"
length	(cm)	40	50	40	50	60	50
	(ft)	1'4"	1'8"	1'4"	1'8"	2'	1'8"
box volume	(m3)	0,032	0,05	0,032	0,05	0,054	0,05
	(ft3)	3,5	3,5	3,5	10,5	3,5	10,5



		TU 400-60	TU 400-80	TU 500-60	TU 500-80	TU 500-96
height total "Y"	(cm)	400	400	500	500	500
	(ft)	13'1"	13'1"	16'5"	16'5"	16'5"
height	(cm)	380	380	480	480	480
	(ft)	12'6"	12'6"	15'9"	15'9"	15'9"
diameter "Ø"	(cm)	60	80	60	80	96
	(ft)	2'	2'7"	2'	2'7"	3'2"
weight	(kg)	10,6	15	12,1	16,8	25
	(lbs)	23,4	33,1	26,7	37	55,1
BOX SIZE						
height	(cm)	20	20	20	20	20
	(ft)	0'8"	0'8"	0'8"	0'8"	0'8"
width	(cm)	60	80	60	80	102
	(ft)	2'	2'7"	2'	2'7"	3'4"
length	(cm)	60	80	60	80	102
	(ft)	2'	2'7"	2'	2'7"	3'4"
box volume	(m3)	0,032	0,05	0,032	0,05	0,054
	(ft3)	1,13	1,77	1,13	1,77	1,9





COVER

Standard colors

P 123	P 485	P 287	P 289
WHITE	Cool 5C	BLACK	Digital



BASE

Standard colors

RAL 6018	RAL 3020	RAL 3002	RAL 2008	RAL 7037	RAL 7038
RAL 1021	RAL 5002	RAL 5013	RAL 6026	RAL 9005	RAL 9016

All information on the technical datasheet is for information purpose only. The final composition of the product depends on the current version of the product and the used components. Detailed scope of delivery is described in the official commercial offer.